

CATALOGUE










Bistro Laundry Sanitation Wipes






















Consultancy Guidelines







SAFETY DATA SHEETS - WHEN YOU NEED THEM!

WWW.NOVADAN.DK

The requirements are that you must always have access to a safety data sheet. Novadan offers you online access to all product information and safety data sheets on our website.

Scan the QR code above, and you will be taken to our website where you can find them. You can either search by product name or item number and download the information you need.

On our website you can also download information about our products in the form of catalogues, brochures, flyers, cleaning guides, etc.

WITH THE RIGHT AGENTS

YOU CAN HANDLE ANY CLEANING TASK

Every day brings many challenges in relation to cleaning and hygiene - and also in terms of increasing demands for efficiency and quality of work. And regardless of the tasks you need to solve, you probably have an opinion about use (and consumption) of detergents and the environment around you - so do we.

We have divided our catalogue according to where the task is to be solved. Is it sanitary cleaning, kitchen or perhaps floor care? You might want to see our full range of Nordic Ecolabelled cleaning products? When it says "yes" in the Ecolabel column, it means the product has been assigned with the Nordic Swan label. In the table of contents on page 7, you can easily get an overview of where to find exactly what you are looking for. The color of the bar in the Table of contents is repeated on the corresponding product pages.

If you also like to see our selection of accessories, we have created a separate catalogue for these. However, a small selection of our accessories are to be found on the last pages in this catalogue. Feel free to contact customer service if you would like a copy of our catalogue with accessories. Alternatively, you can find both catalogues on our website.



PRODUCT NAMES

The product names consist of a name, an abbreviation and a number. Below you can see a list of abbreviations and their corresponding meaning. The number symbolizes dosing requirements - see below. Furthermore, the 700-series is with the Nordic Ecolabel.

PRODUCT DESCRIPTION	ABBREVIATION
Contains Chlorine	CL
Contains wax	W
Contains perfume	F
Well suited for aluminium	Alu
Powder	Powder
No phosphate	NP
Optical bright	ОВ

DOSAGE	PRODUCT FIGURE
Higher dosage	100
Medium dosage	300
Lower dosage and	700

THE CUSTOMER'S IN FOCUS

For Novadan, the customer's needs has always been the general focus and the cooperation with our customers is a priority. We offer a competitive product range of detergents and disinfectants, which effectively and environmentally cover our customers' needs.

A COMPETENT PARTNER

Novadan attaches great importance to being a competent partner for solutions of any cleaning task. We provide cleaning and hygiene solutions for both private and public companies where quality cleaning plays a crucial role.

HIGH SERVICE LEVEL

We place great emphasis on ensuring our customers a high level of service in the form of technical service and advice from our experienced staff.

INNOVATION AND GROWTH

Novadan is an innovative Danish production and service company that was established in 1980. We have a modern laboratory and own production facilities in which we develop and manufacture a wide range of quality products for cleaning, dishwashing, laundry and disinfection. In these areas, our products are among the leaders in the market.

PH-SCALE

A product's pH value tell whether the product responds acidic, neutral or alkalic. Strong acidic cleaners that work against limescale and corrosion, have a pH value close to 0, and highly alkaline cleaners for degreasing have a pH value close to 14. The neutral agents are in the center of the scale, where a pH of 7 is neutral, similar to water.

Our labels have colors which reflect the colors of the pH scale. Therefore, it is always easy to recognize whether a product is acidic, neutral or alkalic. Furthermore, we have products with yellow labels. The yellow color is not part of the pH scale but indicates that the product is a disinfectant.



STRONG ACID
(ACID WASH)
Hydrochlorid acid 30%
Acetic acid
Household acetic acid
Buttermilk
Yoghurt
Soft drink, Beer
SLIGHTLY ACID

ACIDIC

Acidic cleaners are used to remove lime deposits and rust. Acidic cleaners can damage enamelled iron surfaces, chrome-plated objects and jointing in tiled walls and terrazzo floors. These agents may only be used in working solutions and must immediately be rinsed with clean water.

NEUTRAL
Whole milk
Water
Soda

NEUTRAL

Neutral detergents are used for light cleaning of inventory, tiled walls, kitchens, dishwashers, painted walls and surfaces. Neutral agents are also used for the cleaning of surfaces which neither tolerate the exposure to highly acidic or highly alkaline cleaners.

SLIGHTLY ALCALIC
Soap flakes
Ammonium chloride
STRONG ALCALIC (DEGREASER)
Corrosive chloride
(=sodium hydroxid)

14

ALCALIC

Alkaline cleaners are used for both light and thorough cleaning. Alkaline cleaners are particularly well suited to remove fats, as the fat is converted to more soluble compounds. Highly alkaline cleaners should not be used on linoleum.

TABLE OF CONTENTS

NORDIC ECOLABELLED DETERGENTS	8-15	
Generel cleaning · Universal cleaning · Floor · Sanitation · Lime remover · Dishwashing · Rinse · Laundry · Hair & Bodyshampoo · Hand hygiene		
SPRAY	16-17	
Surfaces · Joint rinse · Odour Remover · Glass · Steel · Sanitary · Limescale		
WIPES	18-19	
Disinfectants · Graffiti · Stainless steel · Hand rinse		
PERSONAL HYGIENE	20-21	
Hand soap · Hair- & bodyshampoo · Hand rinse		
BISTRO	22-27	
Manual dishwash • Liquid dishwash • Dishwash powder and -tabs • Rinse • Speciality products		
LAUNDRY	28-31	
Laundry • Powder & Liquid		
FLOOR	32-33	
Floor • Wash/care • Carpet rinse • Resin remover • Foam		
UNIVERSAL CLEANING	34 - 35	
Universal • Glass • Steel		
SANITATION	36 - 41	
General cleaning · Drain cleaner · Lime remover · Sanitation · Toilet		
DISINFECTION	42-45	
PRODUCT SPECIFICATIONS	46-48	
ACCESSSORIES	49-53	



GENERAL CLEANING

Product	Unit	Ecolabel	Packaging	Per colli	Pallet si	ze Item no			
IMO ALKA 710 is alkaline and is used for periodic cleaning of all surfaces which tolerate water. Imo Alka 710 has good fat emulsifying properties. Every 3th time we recommend to wash floors with a multipurpose cleaner. Imo Alka 710 is also good to periodic cleaning of equipment, walls, painted surfaces and kitchen machines.									
	IMO ALKA F 711 is alkaline and is used for periodic cleaning of all surfaces which tolerate water. Imo Alka F 711 has good fat emulsifying properties. Imo Alka F 711 is well suited for periodic cleaning of floors, equipment, walls, painted surfaces and kitchen machines.								
UNI SURFACE 720 is used for cleaning of all s which effectively removes all common types has been built up. It is recommendable to wa	of dirt. Uni	Surface 720 is	well suited for wa						
Uni Surface 720 Uni Surface 720	1 L 5 L	Yes Yes	Carton Carton	12 3	360 108	24606 22019			
UNI SURFACE F 720 is used for cleaning of all surfaces as well as equipment and floors. Uni Surface F 720 is a liquid cleaning agent which effectively removes all common types of dirt. Uni Surface F 720 is well suited for floor-washing where too much soap film has been built up. It is recommendable to wash every 3th time with Floor W 732.									

FLOOR

Product	Unit	Ecolabel	Packaging	Per colli	Pallet si:	ze Item no			
FLOOR 730 has a great cleaning and carin the floors are periodically washed with U which among others is resistant to black i	g effect. Floor ni Surface 720	730 is well su in order to av	ited for all floors w oid too much soap	hich tolerate wate film. Floor 730 le	er. It is recom	nmended that			
	1 L 5 L	Yes Yes	Bottle Canister	12 3	360 108	24617 22028			
that the floors are periodically washed wi	FLOOR F 731 has a great cleaning and caring effect. Floor F 731 is well suited for all floors which tolerate water. It is recommended that the floors are periodically washed with Uni 720 in order to avoid too much soap film. Floor F 731 leaves a strong caring layer which among others is resistant to black marks and salt corrosion. Scratched surfaces are can be repaired.								
						22116 22126			
floors which tolerate water. Every 3th tim	FLOOR W 732 has a great cleaning and caring effect, especially on polish and wax treated floors. Floor W 732 is well suited for all floors which tolerate water. Every 3th time we recommend to wash the floor with Uni 720 in order to avoid too much soap film. Floor W 732 leaves a strong caring layer which among others is resistant to black marks and salt corrosion.								
	1 L 5 L	Yes Yes	Bottle Canister	12 3	360 108	24618 22027			
floors which tolerate water. Every 3th tim	FLOOR W F 733 has a great cleaning and caring effect, especially on polish and wax treated floors. Floor W F 733 is well suited for all floors which tolerate water. Every 3th time we recommend to wash the floor with Uni Surface 720 in order to avoid too much soap film. FLOOR W F 733 leaves a strong caring layer which among others is resistant to black marks and salt corrosion.								
						22111 22121			







SANITARY CLEANING

Product	Unit	Ecolabel	Packaging	Per colli	Pallet si	ze Item no			
Sani Alka 760 is used for daily cleaning of all Sani Alka 760 leaves a sparkling clean surface has an effective fat dissolving power.						. Sani Alka 760			
	SANI ALKA F 760 is used for daily cleaning of all washable items and surfaces which tolerate water in sanitary rooms. Sani Alka F 760 leaves a sparkling clean surface. Further more, Sani Alka 760 avoids build-up of limescale and lime soap. Sani Alka F 760 has an effective fat dissolving power.								
corrosive deposits - also under the brim of la	SANI TOILET 762 is used for daily cleaning of lavatory bowls, urinals and bedpans. Sani Toilet 762 effectively removes calcium and corrosive deposits - also under the brim of lavatory bowls. The adjusted viscosity of Sani Toilet 762 ensures an optimal calcium dissolving effect. Sani Toilet 762 contains corrosion inhibitor.								
Sani Toilet 762			Bottle						
and corrosive deposits - also under the brim	SANI TOILET F 763 is used for daily cleaning of lavatory bowls, urinals and bedpans. Sani Toilet F 763 effectively removes calcium and corrosive deposits - also under the brim of lavatory bowls. The adjusted viscosity of Sani Toilet F 763 ensures an optimal calcium dissolving effect. Sani Toilet F 763 contains corrosion inhibitor.								
Sani Toilet F 763	750 ml	Yes	Bottle	10	540	22115			

LIME REMOVER

Product	Unit	Ecolabel	Packaging	Per colli	Pallet si	ze Item no			
LIME ACID 770 is well suited for removal of limescale and lime soap on hard surfaces which tolerate acid. Removes lime scale as well as urinary stone and corrosive stains. Quick removal of heavy deposits.									
						24608 22026			
LIME ACID F 771 is well suited for removal of limescale and lime soap on hard surfaces which tolerate acid. Removes limescale as well as urinary stone and corrosive stains. Quick removal of heavy deposits.									







DISHWASHING

Product	Unit	Ecolabel	Packaging	Per colli	Pallet size	e Item no				
BISTRO 741 is used in industrial dishwashers for hard water. Is well suited for all glass types without decoration as well as china and cutlery. Bistro 741 effectively removes coffee and tea residues plus lipstick and fat. Bistro 741 is not suited for aluminium or other light metal alloys. Bistro 741 is an effective washing-up liquid for glass and tableware. Bistro 741 has a good cleaning power also in case of colourants and tannins. Odour neutral agent.										
	10 L 20 L	Yes Yes	Canister Canister	1 1	40 36					
conditions. Bistro Alu 742 is a strongly alkalir	BISTRO ALU 742 is well suited in industrial dishwashers with automatic dosing and works effectively in soft and medium hard water conditions. Bistro Alu 742 is a strongly alkaline dishwashing liquid which is especially effective for removal of dirt on aluminum. Bistro Alu 742 effectively removes discoloration from coffee and tea.									
Bistro Alu 742 Bistro Alu 742	10 L 20 L	Yes Yes	Canister Canister	1 1	40 36					
	BISTRO MANU 740 is a neutral liquid which is used for manual dishwashing of china, glasses, cutlery, pots and more. Bistro Manu 740 can also be used for cleaning of painted surfaces. Bistro Manu 740 is very gentle to the hands. Bistro Manu 740 leaves a sparkling clean and bright surface.									
	1 L 5 L 1000 L		Botlle Canister IBC	12 3 1	360 108 1	24607 22023 41925				
BISTRO POWDER 743 is well suited for dish Bistro Powder 743 effectively removes all typal aluminium and glasses.										
Bistro Powder 743 Bistro Powder 743 Bistro Powder 743 Bistro Powder 743	1.5 kg 3.2 kg 5 kg 8 kg	Yes Yes Yes Yes	Bottle Tub Sacket Bucket	8 3 1 1	288 180 125 48	41867 41868 26180 41871				
BISTRO RINSE 780 is well suited for all types of dishwashers. Bistro Rinse 780 is low foaming. Bistro Rinse 780 breaks down the surface tension of the water in the rinsing phase and leaves the tableware shining brightly. Bistro Rinse 780 is a neutral agent.										
Bistro Rinse 780 Bistro Rinse 780 Bistro Rinse 780	1 L 5 L 10 L		Carton Carton Canister			22104 22105 22108				

LAUNDRY

Product	Unit	Ecolabel	Packaging	Per colli	Pallet si	ze Item no			
TEX POWDER COLOR 751 is a broad-spectrul colored textiles. Colored textiles should always washing of wool and silk. Tex Powder Color has a high content of washactive substances perfume.	ays be washe 751 contains	ed separately enzymes whi	the first 2-3 times. ich effectively brea	Tex Powder Color k down proteins.	r 751 cannot Tex Powder	be used for Color 751			
	2.5 kg 5 kg 12.5 kg		Pouch Sacket Bags						
white and light colored textiles. Tex Powder The higher the temperature the stronger the at 40°C and colorfast colored textiles which first 2-3 times). Tex Powder White 50 cannot effectively break down proteins. Tex Powder	TEX POWDER WHITE 750 is a broad-spectrum washing powder which is well suited for machine washing at 40-95°C of all types of white and light colored textiles. Tex Powder White 750 contains bleaching agent which bleaches away colored stains at 50-95°C. The higher the temperature the stronger the bleaching. Tex Powder White 750 can be used for wash of all types of colored textiles at 40°C and colorfast colored textiles which need bleaching at 50-60°C. (Colored textiles should always be washed separately the first 2-3 times). Tex Powder White 50 cannot be used for washing of wool and silk. Tex Powder White 750 contains enzymes which effectively break down proteins. Tex Powder White 750 has a high content of washactive substances which effectively remove fat and particle dirt. Tex Powder White 750 does not contain perfume.								
	2 kg 5 kg 12.5 kg	Yes Yes Yes	Pouch Sacket Bags	6 1 1	180 125 50	31160 26195 31159			







HAND HYGIENE/HAIR & BODYSHAMPOO

Product	Unit	Ecolabel	Packaging	Per colli	Pallet size	Item no		
MIKO SOFT CREAM SOAP is a liquid handso not dry out the skin.	ap free fron	n colour and រុ	perfume. The soap	provides a mild a	nd creamy foa	am and does		
MIKO Soft Cream Soap MIKO Soft Cream Soap	100 ml 600 ml 750 ml 1 L 1 L 5 L							
MIKO PEARL CREAM SOAP is mild foam soa MIKO Pearl Foam gives mild and creamy foar				ed as body shamp	000.			
MIKO Pearl Cream Soap MIKO Pearl Cream Soap MIKO Pearl Cream Soap MIKO Pearl Cream Soap	600 ml 1 L 1 L 5 L							
pleasant-smelling and gives full and creamy f	MIKO PEARL HAIR & BODY FOAM is well suited for all hair and skin types. MIKO Pearl Hair & Body Foam is mild and pleasant-smelling and gives full and creamy foam even at small dosages which leaves the hair soft and lustrous. MIKO Pearl Hair & Body Foam is gentle to the skin.							
MIKO Pearl Hair & Body Foam								

PROPER HAND WASHING



1. Moisten your **HANDS** and **WRISTS** before applying soap/wash cream.



2. Apply the soap/wash cream on the palm of your hands, between your fingers, on each finger, on the back of your hands and around your wrists.



3. Wash the palm of your hands, between your fingers, finger tips, thumbs, the back of your hands and your wrists thoroughly for minimum 15 seconds.



4. Rinse off the soap/wash cream and dab your hands completely dry.



5. In case of hand operated taps: Close the tap with the paper towel.







SPRAY

Product	Unit	Packaging	Per colli	Pallet si	ze Item no				
NOVACLEAN SPRAY is a basic cleaning ager tional area, the food industry and the auto/									
Novaclean Spray	500 ml	Bottle	12	432	41129				
UNI SURFACE SPRAY 326 is used for daily contract the surface.	eaning of eq	uipment and surfaces. Uni S	urface spray 326 doe	es not leave a	any layer on				
Uni Surface spray 326	500 ml	Bottle	12	432	26176				
	SANI ACID SPRAY 365 can be used for sanitary cleaning with advantage. Moisten the surface with water. Spray on Sani Acid Spray 365 and let it work for 5-15 min. Use a sponge to loosen stubborn dirt. Always rinse thoroughly with clean water. Repeat the treatment if necessary.								
Sani Acid Spray 365	500 ml	Bottle	12	432	26175				
t /	LIME ALKA Spray 372 can be used for cleaning of tiles and joints with advantage. Moisten the surface with water. Spray on Lime Alka Spray 372 and let it work for 5-15 min. Use a sponge to loosen stubborn dirt. Always rinse thoroughly with clean water. Repeat the treatment if necessary.								
Lime Alka Spray 372	500 ml	Bottle	12	432	26177				
•	SANI ODOUR SPRAY 368 can be used everywhere where bothering odours are to be removed. Sani Odour Spray 368 is especially suited for odours around toilets. Sani Odour Spray 368 has a fresh fragrance.								
Sani Odour Spray 368	500 ml	Bottle	12	432	11046				

SPRAY

Product	Unit	Packaging	Per colli	Pallet si	ze Item no				
UNI GLASS SPRAY 323 is an effective cleaning agent for glass surfaces such as windows, mirrors, car windows. The product can also be used profitably for stain cleaning of painted surfaces. Avoid use close to source of ignition. Do not use on water-based paint. Uni Glass 323 leaves the surface sparkling without stripes. Uni Glass 323 removes fat, oil, nicotine and the like. Uni Glass Spray 323 contains ammonium chloride.									
Uni Glass Spray 323	500 ml	Carton	12	432	41036				
UNI GLASS SPRAY 121 is an effective cleaning agent for glass surfaces such as windows, mirrors, car windows. The product can also be used profitably for stain cleaning of painted surfaces. Avoid use close to source of ignition. Do not use on water-based paint. Uni Glass Spray 121 leaves the surface sparkling without stripes. Uni Glass Spray 121 removes fat, oil, nicotine and the like.									
Uni Glass Spray 121	500 ml	Carton	12	432	49006				
UNI STEEL SPRAY 324 cleans and protects stainless steel surfaces in one working procedure. Uni Steel 324 is applied to the surface with a lint free cloth in an appropriate amount.									
Uni Steel Spray 324	500 ml	Carton	12	432	26041				



WIPES

Product	Unit	Packaging	Per colli	Pallet size	e Item no			
IPA SPRIT 70% is a disinfectant based on alcohol for application in the food industry and the health sector. Approved for disinfection without subsequent rinsing by the Danish Veterinary and Food Administration. IPA SPRIT 70% evaporates quickly which makes it especially well suited for wiping of surfaces, machines and equipment which are in contact with food. Used in connection with for example product code change and disinfection after ATP measurement. In order to reduce risk of infection, disinfection with IPA Sprit 70% on surfaces in general is recommended, e.g. door handles, tables, instruments and sanitary rooms. IPA SPRIT 70% does not evaporate as quickly as pure alcohol (93%), whereby a longer contact time is achieved. Comes as a liquid for application with a cloth as well as impregnated blue wipes.								
IPA Sprit 70% (Wipes) - Flow packs IPA Sprit 70% (Wipes) - Jumbo Canister	48 pcs 150 pcs	Wipes Wipes	24 6	73728 360	26193 12344			
COMBI DES 70% is a liquid disinfectant base 70% is applied to dry and visually clean hand		0,	which softens the	e skin. 2-5 ml (Combi Des			
Combi Des wipes 70% - Flow packs Combi Des wipes 70% - Jumbo Canister	48 pcs 150 pcs	Wipes Wipes	24 6	60480 360	26194 26178			
NOVADAN DES WIPES is a disinfectant wipe for all types of surfaces in the healthcare sector. Novadan Des wipes is effective against bacteria, vira, yeasts and molds. Drying time: 1 min.								
Novadan Des Wipes	150 pcs	Wipes	6	216	42218			

WIPES

Product	Unit	Packaging	Per colli	Pallet size	e Item no			
SCRUBS HAND CLEANER WIPES is a unique liquid hand cleaner and a heavy duty, scrat wax and other types of dirt.		0 ,	*	0	1 17			
Scrubs Hand Cleaner	72 pcs	Wipes		420	23214			
SCRUBS GRAFITTI WIPES is a high quality feature that makes it both extremely absor scratch. Always use gloves.								
Scrubs Graffiti & Paint Wipes	30 pcs	Wipes		720	23261			
SCRUBS STAINLESS STEEL WIPES scrubs without scratching and is at the same time an effective cleaning and polishing agent, which ensures that the steel maintains its gloss. Scrubs Stainless Steel wipes removes stains, fingerprints, grease, dirt, coatings and water spots. Use for bathrooms, elevators, kitchens, drinking water containers, washing equipment, escalators, restaurants etc.								
Scrubs Stainless Steel Wipes	30 pcs	Wipes	6	720	26045			



HAND SOAP/HAND CREAM

Pro	duct	Unit	Ecolabel	Packaging	Per colli	Pallet size	Item no
	O SOFT FOAM is mild foam soap without c O Soft Foam gives mild and creamy foam w				g. Also well suite	d as body sh	ampoo.
	O Soft Foam O Soft Foam	1 L 5 L		Pouch Canister	6 3	240 108	26068 26088
	O PEARL FOAM is mild foam soap with a m mpoo. MIKO Pearl Foam gives mild and crea				washing. Also w	ell suited as l	oody
MIK	O Pearl Foam O Pearl Foam O Pearl Foam	250 ml 1 L 5 L		Bottle Pouch Canister	12 6 3	720 240 108	26036 26052 26087
	O SOFT CREAM SOAP is a liquid handsoap dry out the skin.	free from c	olour and per	fume. The soap pr	ovides a mild and	l creamy soa	p and does
MIK MIK MIK MIK	O Soft Cream Soap O Soft Cream Soap	100 ml 600 ml 750 ml 1 L 1 L 5 L	Yes Yes Yes Yes Yes	Bottle Bottle Bottle Dispenso Pouch Canister	45 12 12 10 6 3	2.430 576 432 400 240 108	26062 26089 26063 26064 26053 26061
	O PEARL CREAM SOAP is mild soap for fre s mild and creamy foam which does not dry			o well suited as boo	dy shampoo. MIK	O Pearl Crea	m Soap
MIK MIK	O Pearl Cream Soap O Pearl Cream Soap O Pearl Cream Soap O Pearl Cream Soap	600 ml 1 L 1 L 5 L	Yes Yes Yes Yes	Bottle Pouch Dispenser Canister	12 6 10 3	576 240 300 108	26090 26051 26034 26035
MIK	O SOFT HAND CREME is a mild, unperfum	ed cream w	ith vegetable	oils that helps nou	rish the skin.		
MIK	O Soft Hand Creme	100 ml		Tube	36	2808	26059
MIK	O PEARL HAND CREME is a mild, perfume	ed cream wi	th vegetable o	oils that helps nour	ish the skin.		
MIK	O Pearl Hand Creme	100 ml		Tube	36	2808	26038
MIK	O SOFT HAND LOTION is a mild, unperfum	ed cream w	ith vegetable	oils that helps nou	rish the skin.		
MIK	O Soft Hand Lotion Dispenso	750 ml		Bottle	10	240	26086

HAIR & BODYSHAMPOO / HAND CLEANSER

Product	Unit	Ecolabel	Packaging	Per colli	Pallet size	e Item no
MIKO PEARL HAIR & BODY FOAM is well sui smelling and gives full and creamy foam even Foam is gentle to the skin.		,		,		
MIKO Pearl Hair & Body Foam	5 L	Yes	Carton	3	108	26129
MIKO SOFT HAIR & BODY SHAMPOO is well su and creamy foam even at small dosages which skin.						
MIKO Soft Hair & Body Shampoo MIKO Soft Hair & Body Shampoo	750 ml 5 L		Bottle Canister	12 3	432 108	26028 26029
MIKO PEARL HAIR & BODY SHAMPOO is we pleasant-smelling and gives full and creamy for Body Shampoo is gentle to the skin.						
MIKO Pearl Hair & Body Shampoo MIKO Pearl Hair & Body Shampoo	750 ml 5 L		Bottle Canister	12 3	432 108	26031 26032
MIKO ALL OVER SHAMPOO is well suited for a full and creamy foam even at small dosages w and has a harmonious viscosity which makes	hich leaves	the hair soft	and lustrous. MIKO			
MIKO All Over Shampoo MIKO All Over Shampoo MIKO All Over Shampoo	5 L 20 L 200 L		Carton Canister Drum	3 1 1	108 36 2	41244 12537 60706
MIKO HAND CLEANSER effectively removes substances for effective and gentle cleansing Leaves the skin feeling soft and supple. MIKO players. Leaves skin clean and fragrant.	of hands. Th	ne content of	glycerine helps to r	estore softness a	nd provides i	moisture.
MIKO Hand Cleanser	5 L		Canister	3	108	26057



DISHWASHING (MANUAL/LIQUID)

Product	Unit	Ecolabel	Packaging	Per colli	Pallet size	Item no	
BISTRO MANU 740 is a neutral liquid which is 740 can also be used for cleaning of painted sparkling clean and bright surface.							
	1 L 5 L 1000 L		Bottle Canister IBC	12 3 1		24607 22023 41925	
BISTRO MANU F 340 is a washing-up liquid for dissolving properties. Bistro Manu F 340 leav			istro Manu F 340 is	a concentrated v	washing-up liq	uid with fat	
			Bottle Canister	12 3		41151 41152	
BISTRO MANU F 140 is a washing-up liquid fo dissolving properties. Bistro Manu F 140 leav			istro Manu F 140 is	s a concentrated v	washing-up liq	uid with fat	
			Bottle Canister	12 3		24626 49003	
BISTRO 741 is used in industrial dishwashers cutlery. Bistro 741 effectively removes coffee light metal alloys. Bistro 741 is an effective w case of colourants and tannins. Odour neutra	and tea res ashing-up li	idues plus lip	stick and fat. Bistro	741 is not suited	l for aluminiun	n or other	
Bistro 741 Bistro 741			Canister Canister			15012 15013	
BISTRO ALU 742 is well suited in industrial dishwashers with automatic dosing and works effectively in soft and medium hard water conditions. Bistro Alu 742 is a strongly alkaline dishwashing liquid which is especially effective for removal of dirt on aluminum. Bistro Alu 742 effectively removes discoloration from coffee and tea.							
Bistro Alu 742 Bistro Alu 742			Canister Canister			41843 12541	
BISTRO GLAS 345 is used in industrial dishward cutlery. Bistro Glas 345 effectively removup liquid for glass and has a good cleaning po	es coffee ar	nd tea residue	s plus lipstick and	fat. Bistro Glas 34	15 is an effectiv		

DISHWASHING (LIQUID)

Product	Unit	Packaging	Per colli	Pallet siz	e Item no				
BISTRO ALU CL 342 is well suited in industrial dishwashers with automatic dosing and works effectively in soft and medium hard water conditions. Bistro Alu CL 342 is a chlorinated, strongly alkaline dishwashing liquid which is especially effective for removal of dirt on aluminum. Bistro Alu CL 342 effectively removes discoloration from coffee and tea.									
Bistro Alu CL 342 Bistro Alu CL 342		Canister Canister			41855 12545				
BISTRO 344 is well suited in indus conditions. Bistro 344 is a strongly stainless steel. Bistro 344 is well su	alkaline product without chlo	orine which effectively re							
Bistro 344	10 L	Canister	1	40	24664				
	BISTRO 348 is well suited in industrial dishwashers with automatic dosing and works effectively in soft and medium hard water conditions. Bistro 348 is a strongly alkaline product without chlorine which effectively removes dirt on glass, porcelain, plastic and stainless steel.								
		Canister Canister			41836 12538				
BISTRO CL 341 is well suited in inc conditions. Bistro CL 341 is a stron stainless steel.									
Bistro CL 341 Bistro CL 341 Bistro CL 341		Canister Canister Canister			41861 41835 12539				
conditions. Bistro 141 is a strongly	BISTRO 141 is well suited in industrial dishwashers with automatic dosing and works effectively in soft and medium hard water conditions. Bistro 141 is a strongly alkaline product without chlorine which effectively removes dirt on glass, porcelain, plastic and stainless steel. Bistro 141 is well suited for cleaning of aluminum.								
Bistro 141 Bistro 141 Bistro 141 Bistro 141	10 L 20 L 200 L 1000 L	Canister Canister Drum IBC		40 36 2 1	12741 12742 26124 26125				



DISHWASHING (LIQUID/POWDER)

DISTIWASITING (EIQOID	/ 1 O V	DLIN				
Product	Unit	Ecolabel	Packaging	Per colli	Pallet siz	ze Item no
BISTRO 143 is well suited in industrial dishw conditions. Bistro 143 is a strongly alkaline p stainless steel. Bistro 143 is well suited for cl	roduct with	out chlorine v	vhich effectively re	moves dirt on gla		
			Canister Canister Canister			
BISTRO CL 142 is well suited in industrial dis conditions. Bistro CL 142 is a chlorinated, str aluminum. Bistro CL 142 effectively removes	ongly alkalir	ne dishwashin	g liquid which is es			
Bistro CL 142 Bistro CL 142			Canister Canister			24633 12740
BISTRO POWDER 743 is well suited for dish Powder 743 effectively removes all types of f					hold dishwa	shers. Bistro
	1.5 kg 3.2 kg 5 kg 8 kg		Bottle Tub Sacket Bucket		288 180 125 48	41867 41868 26180 41871
BISTRO POWDER CL 349 is a concentrated a for industrial and household dishwashers. Bis not corrode aluminum and metal. Bistro Pow Furthermore, Bistro Powder CL 349 has a pre	stro Powder der CL 349	CL 349 gives is effective ag	a sparkling clean d ainst different type	lishwashing. Bistroes of protein and	o Powder CL	349 does
Bistro Powder CL 349	1.5 kg 3 kg 5 kg 5 kg		Bottle Tub Sacket Bucket	8 3 1 1	288 180 125 72	41821 41826 29181 41822

 Bistro Powder 348 has a preventive effect against lime deposits in the dishwasher.

 Bistro Powder 348
 1.5 kg
 Bottle
 8
 288
 41819

 Bistro Powder 348
 5 kg
 Bucket
 1
 72
 41820

 Bistro Powder 348
 5 kg
 Sacket
 1
 125
 29182

BISTRO POWDER 348 is a concentrated alkaline dishwashing powder for manual dosage. Bistro Powder 348 is well suited for industrial and household dishwashers. Bistro Powder 348 gives a sparkling clean dishwashing. Bistro Powder 348 does not corrode aluminum and metal. Bistro Powder 348 is effective against different types of protein and coffee and tea deposits. Furthermore,

DISHWASHING (POWDER)/RINSE

Product	Unit	Ecolabel	Packaging	Per colli	Pallet size	Item no
BISTRO POWDER 143 is a concentrated alkalin industrial and household dishwashers. Bistro P aluminum and metal. Bistro Powder 143 is effer Bistro Powder 143 has a preventive effect again	owder 143 ctive agair	B gives a sparl sst different ty	kling clean dishwa ppes of protein and	shing. Bistro Powd	der 143 does i	not corrode
			Bottle Sacket			24632 29183
BISTRO POWDER CL 144 is a concentrated alka for industrial and household dishwashers. Bisto not corrode aluminum and metal. Bistro Powder Furthermore, Bistro Powder CL 144 has a preve	ro Powder er CL 144 i	CL 144 gives s effective aga	a sparkling clean o ainst different type	lishwashing. Bistro es of protein and c	o Powder CL 1	.44 does
Bistro Powder CL 144 Bistro Powder CL 144	1.5 kg 5 kg		Bottle Sacket	8 1	288 125	24627 29184
BISTRO RINSE 180 is well suited for all types of surface tension of the water in the rinsing phas					180 breaks do	own the
Bistro Rinse 180	5 L		Canister	3	108	
BISTRO RINSE 380 is well suited for all types of surface tension of the water in the rinsing phas preventive effect against lime deposits in the di	e and leav	es the tablew	are shining bright	ly. Furthermore, B		
Bistro Rinse 380 Bistro Rinse 380 Bistro Rinse 380	5 L 10 L 20 L		Canister Canister Canister	3 1 1	108 40 36	49008 49009 49010
BISTRO RINSE 780 is well suited for all types of surface tension of the water in the rinsing phas					780 breaks do	own the
					378 108 40 36	22104 22105 22108 22106

*OBS: All Novadan Bistro Powder products are suited for aluminium, glasses, starch (rice, potatoes, porridge), tannic acid and proteins.



SPECIAL PRODUCTS

Product	Unit		Packaging	Per colli	Pallet siz	e Item no
BISTRO IMO 310 is a liquid, soft scouring ag dirt. The product removes tightly adhering d				ots etc. Bistro Imo	310 effective	ely removes
Bistro Imo 310	500 ml.			12	720	41042
BISTRO IMO 311 is used for manual remova hoods, cooking plates and inside dishwasher and non-slip.						
Bistro Imo 311 Bistro Imo 311			Canister Canister			41854 41856
BISTRO LIME 440 is a special detergent pow effectively all kind of coffee and te desposit.		ning coffee ca	ns, glass boils and	brew tanks. Bistro	o Lime 440 re	emoves
Bistro Lime 440	200 ~*				216	41330
DISTIO LITTE 440	800 gr.					41330
BISTRO OVEN 346 is a strongly alkaline product pans and other alkaline resistant material. Balkaline content, the product should only be surfaces. Bistro Oven 346 corrodes floor lact caution. Use rubber gloves.	uct for clean istro Oven 34 used on ma	46 effectively terial made of	roasting pans, bak removes fat, prote f glass, iron, stainle	ing trays, grill eler ein, sugar and the ess steel and alkal	ments, frying like. Due to t line resistant,	pans, sauce the strongly , enamelled
BISTRO OVEN 346 is a strongly alkaline prod pans and other alkaline resistant material. B alkaline content, the product should only be surfaces. Bistro Oven 346 corrodes floor lace	uct for clean istro Oven 34 used on ma	46 effectively terial made of	roasting pans, bak removes fat, prote f glass, iron, stainle	ing trays, grill eler ein, sugar and the ess steel and alkal	ments, frying like. Due to t line resistant,	pans, sauce the strongly , enamelled
BISTRO OVEN 346 is a strongly alkaline prod pans and other alkaline resistant material. B alkaline content, the product should only be surfaces. Bistro Oven 346 corrodes floor lace caution. Use rubber gloves.	uct for clean istro Oven 34 used on ma quer, oil pain 5 L uct for autor esistant mate duct should 47 corrodes	46 effectively terial made of t, aluminium, natically clear erial. Bistro Ov only be used	roasting pans, bak removes fat, proto f glass, iron, stainl light metal alloys, Bottle Canister ning of ovens, roas ren 347 effectively on material made	ing trays, grill elerein, sugar and the ess steel and alkal synthetic layers a	ments, frying like. Due to t line resistant, and linoleum. 378 108 trays, grill ele tein, sugar ar inless steel ai	pans, sauce the strongly enamelled Use with 24622 25999 ements, and the like. and alkaline
BISTRO OVEN 346 is a strongly alkaline product pans and other alkaline resistant material. Be alkaline content, the product should only be surfaces. Bistro Oven 346 corrodes floor lact caution. Use rubber gloves. Bistro Oven 346 BISTRO OVEN 347 is a strongly alkaline productive pans, sauce pans and other alkaline reduced by the strongly alkaline content, the processitant, enamelled surfaces. Bistro Oven 346	uct for clean istro Oven 34 used on ma quer, oil pain 5 L uct for autor esistant mate duct should 47 corrodes	46 effectively terial made of t, aluminium, natically clear erial. Bistro Ov only be used	roasting pans, bak removes fat, proto f glass, iron, stainl light metal alloys, Bottle Canister ning of ovens, roas ren 347 effectively on material made	ing trays, grill elerein, sugar and the ess steel and alkal synthetic layers a	ments, frying like. Due to t line resistant, and linoleum. 378 108 trays, grill ele tein, sugar ar inless steel ai	pans, sauce the strongly enamelled Use with 24622 25999 ements, and the like. and alkaline
BISTRO OVEN 346 is a strongly alkaline product pans and other alkaline resistant material. Be alkaline content, the product should only be surfaces. Bistro Oven 346 corrodes floor lact caution. Use rubber gloves. Bistro Oven 346 Bistro Oven 346 BISTRO OVEN 347 is a strongly alkaline production of the strongly alkaline content, the procure to the strongly alkaline content, the procure is the strongly alkaline content. The procure is the strongly alkaline is the strongly alkaline product is the strongly alkaline.	uct for clean istro Oven 36 used on ma quer, oil pain 1 L 5 L uct for autor esistant mate iduct should 47 corrodes ses. 1 L 5 L duct for autor aut	46 effectively terial made of t, aluminium, natically clear erial. Bistro Ov only be used floor lacquer,	roasting pans, bak removes fat, prote f glass, iron, stainl light metal alloys, Bottle Canister ning of ovens, roas yen 347 effectively on material made oil paint, aluminiu Bottle Canister e of ovens, roastin	ing trays, grill elerein, sugar and the ess steel and alkal synthetic layers a description of glass, iron, stailm, light metal allows a g pans. Bistro Ove	ments, frying like. Due to to the resistant, and linoleum. 378 108 trays, grill eletein, sugar ar inless steel ar obys, synthetic 360 108	pans, sauce the strongly, enamelled Use with 24622 25999 ements, id the like, id alkaline telayers and

SPECIAL PRODUCTS

Product	Unit		Packaging	Per colli	Pallet siz	e Item no
NOVACLEAN SPRAY is a basic cleaning ager institutional area, the food industry and the						
Novaclean Spray	500 ml				432	41129
IMO BIO DRAIN contains a culture of natur with organic residue that builds up on sewe cleaners are intended for general maintenal Advantages of enzymatic drain cleaners inclimpact. Imo Bio Drain is surfactant and perfand keep drains clear. And unlike sodium hy a good maintenance regimen is the best wathem clear. Also, installing small screens ato first place.	er pipes, issolonce to maintallude relative fume free. The droxide it is by to prevent	ving the residual proper flow safety for use e product mal noncaustic and clogged drains	ue to help prevent wand are not inte in a wide range of kes use of a natura d will not facilitate s. Flushing drains	slow-running dra nded to clear fully plumbing fixtures al bacterial and er combustion. As a weekly with boilin	ins. Most enzy logged drain s and low env nzyme mixtur any plumber v ng water can l	zymatic drain pipes. vironmental e to open will tell you nelp keep
Imo Bio Drain	1 L			12	360	
IMO DRAIN 310 for cleaning of fully or part odours.	tially blocked	drains. Effecti	vely dissolves fat,	hair and soap dep	posits and pre	events bad
Imo Drain 310						41003
IMO DRAIN 311 is an alkaline, powder proc This mix of heat water and chemical can bo MSDS. Imo Drain 311 will attack aluminium	il and give ac	cident, therefo	ore we suggest yo	u to follow securit	ty measure fr	om the
Imo Drain 311						41801
BEDPAN WASHER is a special cleaning agent in bed pan washers with automatic dosing. wash bassins bright and without lime stains	Bedpan Was					
Bedpan washer	5 L		Canister	3	108	41861
SURGICAL INSTRUMENT CLEANER is a liq Surgical Instrument Cleaner effectively remo						



LAUNDRY (POWDER)

Product	Unit	Ecolabel	Packaging	Per colli	Pallet siz	ze Item no
TEX POWDER COLOR 751 is a broad-spectrun colored textiles. Colored textiles should alwa washing of wool and silk. Tex Powder Color 7 has a high content of washactive substances perfume.	ys be washe '51 contains	ed separately to enzymes whi	the first 2-3 times. ch effectively brea	Tex Powder Colo k down proteins.	r 751 cannot Tex Powder	be used for Color 751
Tex Powder Color 751 Tex Powder Color 751 Tex Powder Color 751	2.5 kg 5 kg 12.5 kg		Pouch Sacket Bags		180 125 50	31161 26167 31162
TEX POWDER WHITE 750 is a broad-spectrun white and light colored textiles. Tex Powder V The higher the temperature the stronger the at 40°C and colorfast colored textiles which n first 2-3 times). Tex Powder White 50 cannot effectively break down proteins. Tex Powder and particle dirt. Tex Powder White 750 does	White 750 control of the second of the secon	ontains bleach Tex Powder Wing at 50-60°C washing of whas a high con	ning agent which by thite 750 can be us a. (Colored textiles ool and silk. Tex Po	leaches away col- sed for wash of al should always be bwder White 750	ored stains a I types of col washed sep contains enz	t 50-95°C. lored textiles arately the symes which
Tex Powder White 750 Tex Powder White 750 Tex Powder White 750	2 kg 5 kg 12.5 kg	Yes Yes Yes	Pouch Sacket Bags	6 1 1	180 125 50	31160 26195 31159
TEX LIME POWDER 370 is used for descaling over (15°dH). Tex Lime Powder 370 gently de corrode metal surfaces and enamel.						
Tex Lime Powder 370	2.5 kg		Bucket		90	41813
TEX POWDER OB 350 is a broad-spectrum de coloured textiles. Tex Powder OB 350 cannot effectively bleaches away stains at 40-95°C. T a high content of wash active substances whi brightener which increases the whiteness. Te	be used for Tex Powder (ich effective	wool and silk OB 350 contai ly remove fat	Tex Powder OB 3 ns enzymes which and particle dirt. T	50 contains blead degrade proteins	ching agent was. Tex Powde	vhich r OB 350 has
Tex Powder OB 350	12.5 kg		Bags		50	41812

LAUNDRY (POWDER)/ANTIFOAM

Product	Unit	Packaging	Per colli	Pallet size	ltem no
TEX POWDER 150 is well suited for washing which gives a light bleaching from approx 70 colored textiles at 30-60 °C where bleaching times in order to reduce color rub off.) Shou particle dirt. Tex Powder 150 contains bleach contain optical brightener. Tex Powder 150 contains	°C and a str does not od ld not be use ning agent w	ronger bleaching with higher to cur. (Dark colored textiles sho ed for washing of wool and sill which effectively bleaches away	emperature. Can be uld always be wash k. Tex Powder 150 e / stains at 70-90°C.	e used for was ed separately effectively rem	hing of dark the first 2-3 oves fat and
Tex Powder 150	12.5 kg	Bags	1	50	31097
TEX POWDER COLOR NP 154 is well suited for always be washed separately the first 2-3 tin 90°C, but there is no bleaching of colored sp tively removes fat and particle dirt. Tex Powder Coloratin optical brightener Tex Powder Coloratin optical brightener	nes in order lots. Should der Color NP	to reduce color rub off.). Can not be used for washing of wo 154 does not contain a bleac	be used for washing ool and silk. Tex Pow hing agent. Tex Pow	g of white text oder Color NP oder Color NP	iles at 30- 154 effec- 154 does no
Tex Powder Color NP 154 Tex Powder Color NP 154	5 kg 12.5 kg	Sacket Bags		125 50	31106 31099
TEX POWDER NP 153 is well suited for wash contains bleaching agent which gives a light Powder NP 153 can be used for washing of a should always be washed separately the first and silk. Tex Powder NP 153 effectively remains a term of the saway stains at 70-90°C. Tex Powder Does not contain phosphate.	bleaching fr dark colored t 2-3 times in oves fat and	om approx. 70°C and a strong textiles at 30-60°C, where blo n order to reduce color rub off particle dirt. Tex Powder NP 1	er bleaching with he caching does not oc c). Should not be us 53 contains bleachi	igher tempera cur. (Dark colo ed for washin ng agent whic	ture. Tex ored textiles g of wool n effectively
Tex Powder NP 153 Tex Powder NP 153	5 kg 12.5 kg	Sacket Bags	1 1	125 50	31107 31100
TEX POWDER COLOR 151 is well suited for be washed separately the first 2-3 times in c colored stains are not bleached. Should not particle dirt. Tex Powder Color 151 does not Tex Powder Color 151 contains phosphate. T	be used for contain blea	ce color rub off.) Can be used washing of wool and silk. Tex Faching agent. Tex Powder Colo	for washing of white Powder Color 151 e r 151 does not con	te textiles at 3 ffectively rem	0-90 °C, but oves fat and
Tex Powder Color 151	12.5 kg	Bags			31096
GAME ANTIFOAM 51 used for defoaming. I	Dosing: 0.02	%-1% depending on the applic	cation.		



LAUNDRY (LIQUID)

Product	Unit	Packaging	Per colli	Pallet siz	ze Item no				
TEX LIQUID ENZYME 353 is a broad-spectrum detergent which is well suited for washing at 40-95°C of all types of textiles. Tex Liquid Enzyme 353 is well suited for soaking and hand washing. (Colored textiles should always be washed separately the first 2-3 times.) Tex Liquid Enzyme 353 can be used for washing of wool and silk (low dosing). Tex Liquid Enzyme 353 contains enzymes which degrade proteins and starch. Tex Liquid Enzyme 353 has a high content of wash active substances which effectively remove fat and particle dirt. Tex Liquid Enzyme 353 can be used together with Tex Bleach Extra 355 if a light bleaching or disinfection is desired.									
Tex Liquid Enzyme 353 Tex Liquid Enzyme 353	5 L 20 L	Carton Bucket	3 1	108 36	26018 26020				
colored textiles. Tex Liquid 354 can be used for need bleaching at 50-60°C. (Colored textiles washing of wool and silk. Tex Liquid 354 cont The bleaching agents Tex Bleach 353 and Tex	TEX LIQUID 354 is a broad-spectrum liquid detergent which is well suited for washing at 50-95°C of all types of white and light colored textiles. Tex Liquid 354 can be used for washing of all types of colored textiles at 40°C and colorfast colored textiles which need bleaching at 50-60°C. (Colored textiles should always be washed separately the first 2-3 times.) Do not use Tex Liquid 354 for washing of wool and silk. Tex Liquid 354 contains alkaline and wash active substances which effectively remove fat and particle dirt. The bleaching agents Tex Bleach 353 and Tex Bleach 355 can be used together with Tex Liquid 354. Tex Liquid 354 can profitably be supplemented with Tex Booster 355 in the prewash when washing very dirty textiles.								
Tex Liquid 354 Tex Liquid 354 Tex Liquid 354	10L 20L 200L	Canister Canister Drum	1 1 1	40 36 2	12744 12743 12745				
TEX ODOUR 352 can be used everywhere, w and neutralizes odour particles from textiles.		ice odour is to be removed. Tex	Odour 352 absor	bs odorants f	rom the air				
Tex Odour 352 Tex Odour 352 Tex Odour 352	1 L 5 L 20L	Carton Carton Bucket	12 3 1	360 108 36	56291 56290 11045				

LAUNDRY (LIQUID)

Product	Unit		Packaging	Per colli	Pallet siz	te Item no				
in connection with dosing equipment. Tex Bl	TEX BLEACH 353 is used for all white and bleach proof, colored textiles. Bleaches effectively at 70-95°C. Tex Bleach 353 is used in connection with dosing equipment. Tex Bleach 353 is an environmentally friendly, non-chlorine containing bleaching agent. Tex Bleach 353 does not corrode common metal alloys and synthetic materials. Tex Bleach 353 is split to water and oxygen after use.									
Tex Bleach 353 Tex Bleach 353	5 L 10 L		Canister Canister	3 1	108 40	26162 41804				
TEX BLEACH EXTRA 355 is used for all white and bleach proof, colored textiles. Bleaches effectively at 70-95°C. Tex Bleach Extra 353 is used in connection with dosing equipment. Tex Bleach Extra 353 is an environmentally friendly, non-chlorine containing bleaching agent. Tex Bleach Extra 353 does not corrode common metal alloys and synthetic materials. Is split to water and oxygen after use.										
Tex Bleach Extra 355 Tex Bleach Extra 355	5 L 10 L		Canister Canister		108 40	26163 41865				
TEX SOFTENER 352 is a liquid, concentrated and softens the clothes.	TEX SOFTENER 352 is a liquid, concentrated fabric softener with antistatic effect. Tex Softener 352 counteracts static electricity and softens the clothes.									
Tex Softener 352 Tex Softener 352 Tex Softener 352	1 L 5 L 10 L		Bottle Canister Canister	12 3 1	360 108 40	41808 41809 41864				
TEX SOFTENER F 351 is a liquid, concentrate and softens the clothes while giving them a			tistatic effect. Tex S	Softener F 351 co	unteracts sta	tic electricity				
Tex Softener F 351 Tex Softener F 351 Tex Softener F 351	1 L 5 L 10 L		Bottle Canister Canister	12 3 1	360 108 40	41831 41832 41834				
TEX BOOSTER 355 is used as a supplement Tex Booster 355 is used mainly in the pre-wa active substances. Tex Booster 355 effectivel	sh with Tex	Liquid 354 or	Tex Liquid Enzyme	353. Tex Booster	355 contains	s many wash				
Tex Booster 355	10L		Bucket	1	40	41807				
TEX DELICATE 358 is especially designed for a Tex Delicate 358 is built up by a number of sucharacteristics for the textiles.										
Tex Delicate 358	10 L		Bucket	1	40	26166				



FLOOR

Product	Unit	Ecolabel	Packaging	Per colli	Pallet siz	e Item no		
FLOOR 730 has a great cleaning and caring ef the floors are periodically washed with Uni Si which among others is resistant to black mar	urface 720 i	n order to av	oid too much soap	film. Floor 730 le	aves a strong			
Floor 730 Floor 730	1 L 5 L	Yes Yes	Bottle Canister	12 3	360 108	24617 22028		
FLOOR F 731 has a great cleaning and caring effect. FLOOR F 731 is well suited for all floors which tolerate water. It is recommended that the floors are periodically washed with Uni 720 in order to avoid too much soap film. FLOOR F 731 leaves a strong caring layer which among others is resistant to black marks and salt corrosion. Scratched surfaces can be repaired.								
Floor F 731 Floor F 731	1 L 5 L	Yes Yes	Bottle Canister	12 3	360 108	22116 22126		
floors which tolerate water. Every third time	FLOOR W 732 has a great cleaning and caring effect, especially on polish and wax treated floors. Floor W 732 is well suited for all floors which tolerate water. Every third time we recommend to wash the floor with Uni Surface 720 in order to avoid too much soap film. Floor W 732 leaves a strong caring layer which among others is resistant to black marks and salt corrosion.							
Floor W 732 Floor W 732	1 L 5 L	Yes Yes	Bottle Canister	12 3	360 108	24618 22027		
FLOOR W F 733 has a great cleaning and caring all floors which tolerate water. Every third ting soap film. Floor W F 733 leaves a strong caring carin	ne we recon	nmend to wa	sh the floor with U	ni Surface 720 in	order to avoi	d too much		
Floor W F 733 Floor W F 733	1 L 5 L	Yes Yes	Bottle Canister	12 3	360 108	22111 22121		
FLOOR LINO 331 is well suited for use on po the floors clean with a silk mat surface. Floor				traffic unglazed ti	les. Floor Lin	o 331 leaves		
Floor Lino 331 Floor Lino 331 Floor Lino 331	5 L 20 L 200 L		Canister Canister Drum	3 1 1	108 36 2	41920 41928 26021		
FLOOR TILE 332 is a combined cleaning and c Is especially well suited for stone and tile floo								
Floor Tile 332 Floor Tile 332 Floor Tile 332 Floor Tile 332	1 L 5 L 200 L 700 L		Bottle Canister Drum IBC	12 3 1 1	360 108 2 1	41100 41101 41105 41104		

FLOOR

Product	Unit		Packaging	Per colli	Pallet size	e Item no				
FLOOR TERRAZZO W 330 has a great cleaning has an especially great effect on vinyl, terraz which is resistant to black marks, salt corrosi	zo, linoleum	and rubber f	ooring. Floor Terra	azzo W 330 leaves	a strong cari					
Floor Terrazzo W 330 Floor Terrazzo W 330	5 L 200 L		Canister Drum	3 1	108 2	22073 22075				
shrink-proof and colorfast before use.) Floor	FLOOR CARP. 337 is used in carpet cleaning machines for cleaning of loose and fitted carpets. (Control that the carpets are shrink-proof and colorfast before use.) Floor Carp. 337 quickly and effectively loosens dirt and fat from the carpet fibers. In case of difficult dirt, the carpet can be wetted with Floor Carp. 337 before cleaning. Well suited for all carpets.									
Floor Carp. 337	5 L		Canister	3	108	26039				
FLOOR POLISH 336 is well suited for daily cleaning of all floor types. Floor Polish 336 is based on polymer wax und leaves a dirt-repelling, silk mat and anti-slip surface. It is recommended that the floors are periodically washed with an Uni Surface 720.										
Floor Polish 336	5 L		Canister	3	108	41660				
	FLOOR RESIN 338 is especially well suited for removal of resin on sports flooring. Floor Resin 338 can be used both manually and in a floor washer. Floor Resin 338 can be used on all types of floors.									
Floor Resin 338 Floor Resin 338	5 L 20 L		Canister Canister	3 1	108 36	41046 41089				
FOAM ACID 335 is a strongly acidic foam clea Use on acid-resistant surfaces where a quick industry, shower rooms, public swimming po because the foaming cleaning agent makes s clean water. Do not use Foam Acid 335 on ur	and effective ols and more table foam	e cleaning an e is required. with very goo	d descaling in for e Foam Acid 335 is	example industria well suited for use	l kitchens, the e on vertical s	e food urfaces				
Foam Acid 335	5 L		Canister	3	108	22148				
FOAM ALKA 334 is a strong foam cleaning ag For example on tiles, concrete, stainless stee cleaning agent makes stable foam with very	l and more.	Foam Alka 33	4 is well suited for	use on vertical s	urfaces as the					
Foam Alka 334	5 L		Canister	3	108	41803				
FOAM NEUTRAL 333 is a foam cleaning agen laid out with foam equipment, Foam Neutral										
Foam Neutral 333	5 L		Canister	3	108	41735				



UNIVERSAL CLEANING

Product	Unit	Ecolabel	Packaging	Per colli	Pallet siz	e Item no		
UNI SURFACE 720 is used for cleaning of all tively removes all common types of dirt. Uni up. It is recommendable to wash every third	Surface 720	is well suited						
Uni Surface 720 Uni Surface 720	1 L 5 L	Yes Yes	Bottle Canister	12 3	360 108	24606 22019		
UNI SURFACE F 720 is used for cleaning of all surfaces as well as equipment and floors. Uni Surface F 720 is a liquid cleaning agent which effectively removes all common types of dirt. Uni Surface F 720 is well suited for floor-washing where too much soap film has been built up. It is recommendable to wash every third time with Floor W 732.								
Uni Surface F 720 Uni Surface F 720	1 L 5 L	Yes Yes	Bottle Canister	12 3	360 108	22110 22120		
	UNI SURFACE 321 is used for daily or periodic cleaning of equipment and metalized polish covered surfaces. Uni Surface 321 does not leave any layer on the surface. Uni Surface 321 can be used with dosing equipment for impregnating microfiber mops in washing machines.							
Uni Surface 321	5 L		Carton		108	41067		
UNI SURFACE F 320 is used for daily or periodoes not leave any layer on the surface. Unit washing machines.								
Uni Surface F 320 Uni Surface F 320 Uni Surface F 320	1 L 5 L 200 L		Bottle Canister Drum	12 3 1	360 108 2	41075 41068 41069		
UNI SURFACE F 322 is an all purpose cleaner with ammonium chloride which can be used for daily cleaning of all washable surfaces. Uni Surface F 322 is especially suited for cleaning of sluice rooms, bathrooms, toilets, kitchens and all surfaces that tolerate water, for instance floors, walls and other equipment. Uni Surface F 322 is well suited for use in institutions, offices, schools etc. Uni Surface F 322 leaves sparkling clean surfaces and a pleasant smell. Due to the content of ammonium chloride, the water should not be too hot.								
Uni Surface F 322 Uni Surface F 322 Uni Surface F 322	1 L 5 L 200 L		Bottle Canister Drum	12 3 1	360 108 2	24609 22039 22040		

UNIVERSAL CLEANING /GLASS CLEANING

Product	Unit	Packaging	Per colli	Pallet siz	e Item no			
UNI SURFACE 120 is an all purpose cially suited for cleaning of sluice and other equipment. Uni Surface Uni Surface 120 leaves sparkling of	rooms, bathrooms, toilets, kit e 120 is well suited for use in i	chens and all surfaces to nstitutions, offices, sch	hat tolerate water,					
Uni Surface 120 Uni Surface 120	1 L 5 L	Bottle Canister	12 2	360 108	24625 24629			
UNI GLASS Spray 323 is an effective windows. The product can also be not use on water-based paint. Uninicotine and the like.	used profitably for stain clea	ning of painted surface	s. Avoid use close t	o source of ig	nition. Do			
Uni Glass Spray 323	500 ml	Bottle	12	432	41036			
UNI GLASS 323 is an effective cleaning agent with ammonium chloride for glass surfaces such as windows, mirrors, car windows. The product can also be used profitably for stain cleaning of painted surfaces. Avoid use close to source of ignition. Do not use on water-based paint. Uni Glass 323 leaves the surface sparkling without stripes. Uni Glass 323 removes fat, oil, nicotine and the like.								
Uni Glass 323 Uni Glass 323 Uni Glass 323	5 L 200 L 1000 L	Canister Drum IBC	3 1 1	108 2 1	41037 41035 41029			
Uni Glass 323	200 L 1000 L tive cleaning agent for glass s ng of painted surfaces. Avoid	Drum IBC urfaces such as window use close to source of i	1 1 vs, mirrors, car wind gnition. Do not use	108 2 1 dows. The pro	41037 41035 41029 duct can als			
Uni Glass 323 Uni Glass 323 UNI GLASS SPRAY 121 is an effect be used profitably for stain cleaning.	200 L 1000 L tive cleaning agent for glass s ng of painted surfaces. Avoid	Drum IBC urfaces such as window use close to source of i	1 1 vs, mirrors, car wind gnition. Do not use	108 2 1 dows. The pro	41037 41035 41029 duct can als			
Uni Glass 323 Uni Glass 323 UNI GLASS SPRAY 121 is an effect be used profitably for stain cleaning Uni Glass Spray 121 leaves the sur	tive cleaning agent for glass s ng of painted surfaces. Avoid face sparkling without stripes	Drum IBC urfaces such as window use close to source of i s. Uni Glass Spray 121 r	1 1 vs, mirrors, car wing gnition. Do not use emoves fat, oil, nice	108 2 1 dows. The pro on water-bas otine and the	41037 41035 41029 duct can ale ed paint. like.			
Uni Glass 323 Uni Glass 323 UNI GLASS SPRAY 121 is an effect be used profitably for stain cleanit Uni Glass Spray 121 leaves the sur Uni Glass Spray 121 UNI STEEL SPRAY 324 cleans and	tive cleaning agent for glass s ng of painted surfaces. Avoid face sparkling without stripes	Drum IBC urfaces such as window use close to source of i s. Uni Glass Spray 121 r	1 1 vs, mirrors, car wing gnition. Do not use emoves fat, oil, nice	108 2 1 dows. The pro on water-bas otine and the	41037 41035 41029 duct can ale ed paint. like.			
Uni Glass 323 Uni Glass 323 UNI GLASS SPRAY 121 is an effect be used profitably for stain cleanir Uni Glass Spray 121 leaves the sur Uni Glass Spray 121 UNI STEEL SPRAY 324 cleans and surface with a lint free cloth in an	tive cleaning agent for glass s ng of painted surfaces. Avoid face sparkling without stripes 500 ml protects stainless steel surface appropriate amount.	Drum IBC urfaces such as window use close to source of ig s. Uni Glass Spray 121 rd Bottle ces in one working proc	1 1 2s, mirrors, car wing gnition. Do not use emoves fat, oil, nice 12 edure. Uni Steel Sp	108 2 1 dows. The pro on water-bas otine and the 432 oray 324 is app	41037 41035 41029 duct can ale ed paint. like. 49006			



SANITATION / DRAIN CLEANER

Product	Unit	Ecolabel	Packaging	Per colli	Pallet siz	e Item no		
IMO ALKA 710 is alkaline and is used for per emulsifying properties. Every third time we re periodic cleaning of equipment, walls, painte	ecommend	to wash floor	s with a multipurp					
Imo Alka 710 Imo Alka 710	1 L 5 L	Yes Yes	Bottle Canister	12 3	360 108	24612 26022		
IMO ALKA F 711 is alkaline and is used for periodic cleaning of all surfaces which tolerate water. Imo Alka F 711 has good fat emulsifying properties. Imo Alka F 711 is well suited for periodic cleaning of floors, equipment, walls, painted surfaces and kitchen machines.								
Imo Alka F 711 Imo Alka F 711	1 L 5 L	Yes Yes	Bottle Canister	12 3	360 108	22112 22122		
IMO ALKA 110 is a low foaming cleaning agent for basic cleaning and degreasing in food production and related industries. The product does not corrode aluminium. Imo Alka 110 has unique fat and oil emulsifying properties and is especially suited for removal of residues of chain wax and cleaning of conveyor belts. Does not contain EDTA and can be used on all surfaces.								
Imo Alka 110	1 L		Bottle	12	360	24624		
NOVACLEAN SPRAY is a basic cleaning agent institutional area, the food industry and the								
Novaclean Spray	500 ml		Bottle	12	432	41129		
IMO BIO DRAIN contains a culture of natural bacteria and enzyme mixture to open and keep drains clear. Imo Bio Drain reacts with organic residue that builds up on sewer pipes, issolving the residue to help prevent slow-running drains. Most enzymatic drain cleaners are intended for general maintenance to maintain proper flow and are not intended to clear fully logged drain pipes. Advantages of enzymatic drain cleaners include relative safety for use in a wide range of plumbing fixtures and low environmental impact. Imo Bio Drain is surfactant and perfume free. The product makes use of a natural bacterial and enzyme mixture to open and keep drains clear. Flushing drains weekly with boiling water can help keep them clear. Also, installing small screens atop drains will help keep hair, lint and other clogging elements out of the pipeline in the first place.								
Imo Rio Drain	11		Pottlo	12	260	26151		

DRAIN CLEANER/LIME REMOVER

Product	Unit	Packaging	Per colli	Pallet size	e Item no			
IMO DRAIN 310 for cleaning of fully or partial odours.	ally blocked		t, hair and soap de	posits and pre				
Imo Drain 310	1 L	Bottle	12	360	41003			
IMO DRAIN 311 is a an effective cleaning agent for clogged drains. Imo Drain 311 is an alkaline and strongly water-absorbing product generating a large amount of heat while mixing with water. The mixture may, hereby, start boiling and may cause accidents. The product is not corrosive to tin, lead and zinc. Imo Drain 311 effectively dissolves fat and protein. Causes lime deposits at hard water, thus requiring a succeeding acid cleaning. Rinse with plenty of water. DO NOT USE ON ALUMINIUM OR OTHER NOT ALKALI-RESISTANT SURFACES.								
Imo Drain 311	1 kg.	CTub	6	450	41801			
LIME 370 is used as descaler for coffee mach	ines. Regula	ar use of Lime 370 prevents lir	ne deposits.					
Lime 370	1 L	Bottle	12	360	41340			
LIME 371 is used as descaler for coffee mach	ines. Regula	ar use of Lime 371 prevents lir	ne deposits.					
Lime 371 Lime 371	500 ml 5 L	Bottle Canister	12 3	432 108	41342 41343			
LIME 374 is used for descaling of coffee mac Do not use on untreated aluminum, light me				ely removes li	me residues.			
Lime 374	1 L	Bottle		378	24631			







LIME REMOVER

Product	Unit	Ecolabel	Packaging	Per colli	Pallet size	Item no		
LIME ACID 770 is well suited for removal of li well as urinary stone and corrosion stains. Qu				which tolerate acid	. Removes lime	escale as		
Lime Acid 770 Lime Acid 770	1 L 5 L	Yes Yes	Bottle Canister	12 3	360 108	24608 22026		
LIME ACID F 771 is well suited for removal of limescale and lime soap on hard surfaces which tolerate acid. Removes limescale as well as urinary stone and corrosion stains. Quick removal of heavy deposits.								
Lime Acid F 771	1 L	Yes	Bottle	12	360	22113		
LIME KALCEDON 375 Dissolves and removes calcium deposits on stainless steel, tiles, wash basins, chromium-plated fittings etc. The content of acid in LIME KALCEDON 375 removes calcium and corrosion formation. Lime Kalcedon 375 contains corrosion inhibitor.								
Lime Kalcedon 375 Lime Kalcedon 375	1 L 5 L		Bottle Canister	12 3	360 108	41085 41086		
LIME ACID 376 is a strongly acid lime and corr institutions, industries, swimming facilities et suited for removal of corrosion from e.g. brak	c. Lime Acid	d 376 is espec	ially effective aga					
Lime Acid 376 Lime Acid 376	1 L 5 L		Bottle Canister	12 3	360 108	24614 22054		
LIME ALKA SPRAY 372 can be used for cleani Alka Spray 372 and let it work for 5-15 min. U the treatment if necessary.								
Lime Alka Spray 372	500 ml		Bottle	12	432	26177		
LIME POWDER 373 is well suited for removal	l of limesca	le in coffee m	achines.					
	1 kg		Tub	3	270	44335		
Lime Powder 373 Lime Powder 373	12.5 kg		Bags	1	50	41335 31124		

SANITATION

Product	Unit	Ecolabel	Packaging	Per colli	Pallet siz	e Item no		
SANI ACID SPRAY 365 can be used for sanitary cleaning with advantage. Moisten the surface with water. Spray on Sani Acid Spray 365 and let it work for 5-15 min. Use a sponge to loosen stubborn dirt. Always rinse thoroughly with clean water. Repeat the treatment if necessary.								
Sani Acid Spray 365	500 ml		Bottle	12	432	26175		
SANI ALKA 366 is an alkaline sanitary cleaner that prevents lime and lime soaps and is especially suitable for daily cleaning os sinks, tiles, steel, mirrors, toilet bowls and the like. Sani Alka 366 leaves a sparkling clean surface and eliminates to a large extent the periodic lime removal. Sani Alka 366 has an effective fat dissolving power.								
Sani Alka 366 Sani Alka 366	1 L 5 L		Bottle Canister	12 3	360 108	24613 22051		
SANI ALKA 760 is used for daily cleaning of all washable items and surfaces which tolerate water in sanitary rooms. Sani Alka 760 leaves a sparkling clean surface. Further more, build-up of limescale and lime soap is avoided. Sani Alka 760 has an effective fat dissolving power.								
Sani Alka 760 Sani Alka 760	1 L 5 L	Yes Yes	Bottle Canister	12 3	360 108	24605 22021		
SANI ALKA CLOSET 367 is a special product	for dry close	ets, which kee	ps the air fresh in	the toilet.				
Sani Alka Closet 367 Sani Alka Closet 367	2.5 L 200 L		Canister Drum	4 1	180 2	56306 56307		
SANI ALKA TOILET 362 used for daily cleaning and simultaneously inhibits calcium and uring			rinals. Alkaline Sar	ni Toilet 362 dissol	ves grease, d	lirt, coatings		
Sani Alka Toilet 362	750 ml		Bottle	10	540	41077		
SANI NEUTRAL 160 is especially well suited and lime soaps. Sani Neutral 160 leaves a sp Sani Neutral 160 has an effective fat dissolvi	arkling clear							
Sani Neutral 160	1 L		Bottle	12	360	24619		





SANITATION

Product	Unit	Ecolabel	Packaging	Per colli	Pallet siz	e Item no		
SANI ALKA F 761 is used for daily cleaning of 761 leaves a sparkling clean surface. Further I fat dissolving power.								
Sani Alka F 761 Sani Alka F 761	1 L 5 L	Yes Yes	Bottle Canister	12 3	360 108	22114 22124		
SANI NEUTRAL 364 is especially well suited in wet areas, for washbasins, tiles, steel and mirrors. Sani Neutral 364 prevents lime and lime soaps. Sani Neutral 364 leaves a sparkling clean surface and makes periodic descaling unnecessary to a great extent. Sani Neutral 364 has an effective fat dissolving power.								
Sani Neutral 364 Sani Neutral 364	1 L 5 L		Bottle Canister	12 3	360 108	24610 22042		
SANI NEUTRAL CLOSET 363 is a water-sealing agent and is suitable for use in eg. waterfree urinals and dry closets and other places where the aim is to minimize the odour and evaporation.								
Sani Neutral Closet 363 Sani Neutral Closet 363	1 L 200 L		Bottle Canister	12 1	360 2	41180 41181		
SANI ODOUR SPRAY 368 can be used everyw suited for odours around toilets. Sani Odour S				moved. Sani Odoເ	ır Spray 368 i	is especially		
Sani Odour Spray 368	500 ml		Bottle	12	432	11046		
and the auto/transport business. Novaclean happlied as foam by means of low pressure un percentage). In case of especially dirty surface Temperature: 40-80°C. When applied as foam	NOVACLEAN is used for thorough cleaning of extremely dirty and greasy surfaces within the institutional area, the food industry and the auto/transport business. Novaclean has good fat and oil emulsifying properties. Novaclean can be used manually or applied as foam by means of low pressure unit. Novaclean is not corrosive to aluminium. Solution for use: 1-4% (weight percentage). In case of especially dirty surfaces: Use in a concentration of 5-10%. Contact time: 10-30 minutes. Temperature: 40-80°C. When applied as foam, do not let the foam dry up. When the cleaning procedure has been completed, all surfaces that will later be in contact with foodstuffs must be rinsed thoroughly with drinking water.							
Novaclean Novaclean Novaclean Novaclean Novaclean Novaclean	1L 5L 10L 21kg 210 kg 825 kg		Bottle Canister Canister Canister Drum IBC	12 3 1 1 1	360 108 40 36 2	41165 41126 41124 12431 41125 12224		

TOILET CLEANER

Product	Unit	Ecolabel	Packaging	Per colli	Pallet siz	ze Item no			
SANI TOILET 762 is used for daily cleaning of lavatory bowls, urinals and bedpans. Sani Toilet 762 effectively removes calcium and corrosion deposits - also under the brim of lavatory bowls. The adjusted viscosity of Sani Toilet 762 ensures an optimal calcium dissolving effect. Sani Toilet 762 contains corrosion inhibitor.									
Sani Toilet 762	750 ml	Yes	Bottle	10	540	22017			
and corrosion deposits - also under the brim	SANI TOILET F 763 is used for daily cleaning of lavatory bowls, urinals and bedpans. Sani Toilet F 763 effectively removes calcium and corrosion deposits - also under the brim of lavatory bowls. The adjusted viscosity of Sani Toilet F 763 ensures an optimal calcium dissolving effect. Sani Toilet F 763 contains corrosion inhibitor.								
Sani Toilet F 763	750 ml	Yes	Bottle	10	540	22115			
SANI TOILET CITRIN 360 is used for daily cle calcium and corrosion deposits - also under to optimal calcium dissolving effect. Sani Toilet	the brim of I	avatory bowls	s. The adjusted vis						
Sani Toilet Citrin 360	750 ml		Bottle	10	540	41076			
SANI ALKA TOILET 362 used for daily cleaning simultaneously inhibits calcium and urinary s			rinals. Sani Alka To	ilet 362 dissolves	grease, dirt,	coatings and			
Sani Alka Toilet 362	750 ml		Bottle	10	540	41077			



DISINFECTION

Product	Unit		Packaging	Per colli	Pallet siz	e Item no
COMBI DES 70% is a liquid disinfectant base 70% is applied to dry and visually clean hand			Contains glycerine	which softens the	e skin. 2-5 ml	Combi Des
Combi Des 70% Combi Des 70%	1 L 5 L		Dispenso Canister	10 1	300 56	41300 41297
COMBI DES 85% is a liquid disinfectant base 85% is applied to dry and visually clean hand			Contains glycerine	which softens the	e skin. 2-5 ml	. Combi Des
Combi Des 85% Combi Des 85% Combi Des 85% Combi Des 85%	100 ml 600 ml 750 ml 1 L		Bottle Bottle Bottle Dispenso	15 12 12 10	1.800 720 432 400	41270 41296 42968 41267
COMBI DES GEL 85% is a liquid disinfectant Des Gel 85% is applied to dry and visually cle				rine which softer	s the skin. 2-	-5 ml Combi
Combi Des Gel 85% Combi Des Gel 85% Combi Des Gel 85%	120 ml 600 ml 1 L		Bottle Bottle Dispenso	15 12 10	1.800 720 300	41295 41302 41293
COMBI HEX 85% is used where a thorough, e surgery of middle-ear and eardrum. Only to l of ethanol and chlorhexidine, in the product. very gentle towards the user.	be used in o	peration roon	ns. Combi Hex 85%	is an effective di	sinfectant du	e to content
Combi Hex 85%	1 L		Dispenso	6	288	41299
DENTIN is a combined cleaning and disinfect suited for cleaning and disinfection of bathro removes ordinary types of dirt. Broad-spectr disinfects, removes smell and prevents rot are as a separate process after a preceding clean disinfection – all surfaces which will later get water. For ordinary cleaning: 0.5-0.7 dl/10 lit disinfectant: 5 minutes - 1 hour.	noms, toilets um disinfect and calcium fo ling followed into contac	s, kitchens and tant active aga ormation. If the d by a rinsing. t with meat a	I on all surfaces the sinst most types of the product is used No matter how the and meat products is	at will stand wate bacteria, yeast a for disinfection, t product is used must be rinsed th	r. Dentin effe nd mould. Cl his must be d – for cleanin oroughly wit	ectively eans, carried out g or for h drinking
Dentin Dentin	1 L 5 L		Bottle Canister	12 3	360 108	24611 22045

DISINFECTION

Product	Unit		Packaging	Per colli	Pallet size	ltem no
KLORRENT is a disinfectant for all chlorine res is also well suited for bleaching of dish and fl previous cleaning. For disinfection use 1-2 dl later be in contact with foods, shall be rinsed of water. DO NOT MIX WITH ACID OR ACID CO	oor cloths. (4-8 pump : thoroughly	Klorrent is a b strokes) for 8 with drinking	leaching agent and liters of water. Afte	d disinfectant. The er final disinfectio	e product is us n, all surfaces	ed after that will
Klorrent	1 L		Bottle	12	360	41355
Klorrent	5 L		Canister	3	108	41356
DESINFECT MAXI is a liquid, neutral foam disi production rooms, floors and walls, machine against bacteria, yeast, mould and vira. Desin Desinfect Maxi creates a moderately stable for use: 1-5% (weight percentage). Temperati not let the foam dry up. After final disinfection drinking water.	s and equip	ment etc. Des	infect Maxi is a bro	oad-spectrum disi	infectant which	h is effective
	nfect Maxi e	ffectively rem	oves all micro orga	anisms which can	damage food:	stuffs.
	pam with go	ood adhesive p	power which is suit	table for use on v	ertical surface	s. Solution
	ure: 10-40°	C. Contact tim	e: 5-60 minutes. A	pply as foam with	n low pressure	washer. Do
Desinfect Maxi	1 L		Bottle	12	360	41876
Desinfect Maxi	19 kg		Canister	1	36	12436
DESINFEKTION for disinfection of surfaces, in and fungi. An exception is Pseudomonas, wh Desinfektion. Solution for use: 2% (weight pe all surfaces that will later be in contact with f	ich sometin ercentage). 1	nes is found in Temperature:	forms, that are di 10-40°C. Contact t	fficult to kill with ime: 15-30 minut	aqueous solut	ions of
Desinfektion	5 L		Canister	3	108	12337
Desinfektion	20 L		Canister	1	36	12428
DESINFECT QAC is a liquid, neutral foam dis surfaces, floors, walls, machines and equipm		r the food ind	ustry. Desinfect QA	AC can be used for	r disinfection	of all
Desinfect QAC	1 L		Bottle	12	360	26132
Desinfect QAC	20 kg		Canister	1	36	12339

42 43



DISINFECTION

Product	Unit	Packaging	Per colli	Pallet si	ze Itemnr
DES FOAM PAA is a broad-spectrum fo equipment. Apply by means of the disi Foam PAA effectively and fast kills bact disinfected. Application by means of d smell. Application by means of foamin Solution for use: 1-3 w/w%. Temperati in contact with foods, shall be rinsed the	infection nozzle or teria and vira. The isinfection nozzle o g equipment will g ure: 5-25°C. Contac	the foaming nozzle of the clear content of surfactants provides or concentrate sprayer will prov generate heavier foam ensuring ct time: 10-20 minutes. After fin	ning unit - or by co a good moistenir ide moderate man a long contact tin	oncentrate sp ng of the surf rker foam wi ne on tools a	orayer. Des faces to be th a faint nd surfaces.
Des Foam PAA	1 L	Bottle	12	360	26165
DESINFECT O is used for disinfection of O is an oxidizing disinfectant. The table active oxygen shows a documented dis Further documentation is available. Decontinuous use. Dissolve 1 tablet (a' 6 g water. Contact time: 5-30 minutes. Dis Contact time: 5-30 minutes.	et or the powder is sinfection effect. The esinfect O is not co gram) in 2,5 liters (s dissolved in water and hereby he ready-for-use solution is effe prosive when dosed correctly; h of lukewarm water about 30°C.	creates a ready-foctive to a number owever, copper a ln health sector 1	or-use solution of bacteria and brass can tablet (a'6 g	on where and also virus. corrode at
Desinfect O	16 tabs	Tabs	16	1.056	12365
KLORTABS are suitable for disinfection before milking. Klortabs is an effective of water (200ppm chlorine in final soluprevious cleaning and rinsing with pur rinsed thoroughly with drinking water.	disinfectant to be ution). Process time e water. After final	used after cleaning. Klortabs is e: 2-5 minutes Temperature: Ma	dosed in the prop ax. 40°C. The disir	oortion 1 tab nfection is ca	let to 10 liters rried out after
Klortabs	6 tabs	Tabs	6	528	12336

DISINFECTION

Product	Unit	Packaging	Per colli	Pallet si	ze Item no
NATRIUMHYPOCHLORIT is used as a bleachir swimming baths, in agriculture and within th the chemical industry and for treatment of w copper, bronze, brass and aluminium. Natriu has a good effect against microorganisms like with acid. For disinfection with 200 ppm acti efficient disinfection the water temperature never be decanted to metal. Contact with ac	ne food industry. Natriun vaste water. Long time u mhypochlorit is an alkali e: Bacteria, spores, virus ve chlorine use in a cond should not exceed 25°C.	hypochlorit is, furt se may lead to corro ne, all round and qu and mould. Genera centration of 0.16% Natriumhypochlori	hermore, used as osion of metals fou uick-acting disinfentes free chlorine (0.13 dl to 10 litre	an oxidizing r example ire ectant. Natric when heated es of water).	agent within on, steel, umhypochlorit d or mixed To obtain an
Natriumhypochlorit Natriumhypochlorit	22 kg 930 kg	Canister IBC	1 1	36 1	31370 31361
DESINFECT ULTRA is a liquid, neutral foam di production rooms, floors and walls, machine against bacteria, yeast, mould and vira. Desin Desinfect Ultra creates a stable foam with go	es and equipment etc. De infect Ultra effectively re	esinfect Ultra is a bro moves all micro orga	oad-spectrum dis anisms which can	infectant wh damage foo	ich is effective
Desinfect Ultra Desinfect Ultra Desinfect Ultra	1 L 19.5 kg 200 kg	Bottle Canister Drum	12 1 1	360 36 2	26133 12426 12327

44) 45

PRODUCT SPECIFICATIONS

ECO-LABELLED CLEANING AGENTS

PRODUCT- SPECIFICATION	Alternate floor wash	Equipment/ walls, windows	Sanitary/ wash rooms	Kitchen	Manual dish- washing	Toilet bowls	Floor	Polished floors
Imo Alka 710	•	•					•	
Imo Alka F 711	•	•					•	
Floor 730							*	
Floor F 731							*	
Lime Acid 770			*	*		•		
Lime Acid F 771			*	*		•		
Bistro Manu 740	•	•		*	*			
Sani Alka 760		•	*	*		•		
Sani Alka F 761		•	*	*		•		
Sani Toilet 762						*		
Sani Toilet F 763						*		
Uni Surface 720	•	*	•	*				
Uni Surface F 720	•	*	•	*				
Floor W 732							*	•
Floor W F 733							*	•

DISINFECTION

PRODUCT- SPECIFICATION	Chlorine	Oxidative	Quaternary ammonium compounds	Amphoteric	Alcohol
Dentin, disinfektion			•		
Desinfect QAC			•		
Desinfect Maxi			•		
Desinfect O		•			
Klorrent	•				
Oxine B-50	•				
Tego 2000				•	
Desinfektion			•		
IPA Sprit 70%					•
Novadan Des wipes			•		
Desinfect Ultra			•		
Des Foam PAA		•			

[•] Suitable for

CLEANING DETERGENTS

PRODUCT- SPECIFICATION	Colour	Per- fume	Inven- tory	Stain- less steel	Alu- mini- um	Mir- ror/ win- dow	Bath/ sanita- tion/ hand- wash	Toilet	Stone	Ena- mel	Vinyl	Mar- ble	Wood / cork / var- nish	Ter- razzo	Lino- leum
Bistro Imo 310, scouring cream							•								
Sani Alka 366, sanitation			•	*	•	•	•	•	•	•		•	•	•	
Sani Toilet Citrin 360, toilet								*							
Uni Surface F 320			•	•	•		•	•	•	•		•	•	•	•
Uni Surface 321			•	•	•		•	•	•	•		•	•	•	•
Bistro Imo 311, Grease cleaner			•	•	•										
Uni Surface F 322, universal			•	•	•	•	•		•	•		•	•		
Floor Resin 338, Resin Remover															
Sani Neutral 364, universal/sanitet			•	*	*	*	*	•	*	*	•	•	•	•	
Lime Kalcedon 375, lime remover				*			*	*			•	•			
Uni Glass 323, window cleaner						*	*								
Novaclean, generel cleaner			•	*	*		•				•				•

LAUNDRY

PRODUCT- SPECIFICATION	Without phos-phate	Liquid	Powder	Perfume	Enzymes	Bleach effect	Optical white	Color wash	White wash	Gentle wash	Ecola- belled
Tex Powder White 750			•		•	•			•		•
Tex Powder Color 751			•		•			•			•
Tex Powder OB 350			•	•	•	•	•		•		
Tex Powder 150			•	•		•			•		
Tex Powder Color 151			•	•				•			
Tex Powder NP 153 (white)	•		•								
Tex Powder NP 154 (color)	•		•								
Tex Liquid Enzyme 353*		•		•		•		•		•	
Tex Liquid 354		•						•	•		
Tex Softener 352		•						•	•		
Tex Softener F 351		•		•				•	•		
Tex Bleach 353		•				•			•		
Tex Bleach Extra 355		•				•			•		
Tex Booster 355		•						•	•		

Suitable for

^{*} Very suitable for

^{*} Very suitable for

[■] Contains

Recommended for washing microfiber products

BISTRO

PRODUCT- SPECIFICATION	No phos- phate	En- zymes	Pow- der	Liquid	Tabs	Dish- wash- er	Man- ual wash	Stain- less steel	Alu- mini- um	Glass	Pro- tein	Tannic acid	Starch	Chlo- rine	Ecola- belled
Bistro Manu 740				•			•	•	•	•	•	•	•		•
Bistro Manu F 340				•			•	•	•	•	•	•	•		
Bistro Manu 140				•			•	•	•	•	•	•	•		
Bistro 741	•			•		•				•	*	•	•		•
Bistro Glas 345				•		•		*	*	*		•	•		
Bistro Alu 742				•		•		•	•						•
Bistro Alu CL 342				•		•		•	•	•	*	*	*	•	
Bistro 344				•		•				•	*	•	•		
Bistro CL 341				•		•				•	•	*	*	•	
Bistro 141				•		•				•	*	•	•		
Bistro CL 142				•		•				*	•	*	•	•	
Bistro 143				•		•			•	•	*	•	•		
Bistro Powder 743		•	•			•		*	*	*	*	*	*		•
Bistro Powder 348			•			•		*	*	*	*	*	*		
Bistro Powder CL 349			•			•		*	*	*	*	*	*	•	
Bistro Powder CL 144			•			•		*	*	*	*	*	*	•	
Bistro Rinse 780				•		•		•	•						•
Bistro Rinse 380				•		•		•	•						
Neutral Opvasketabs	•				•	•					*	*	•		
Special products:															
Bistro Oven 346				•											
Bistro Oven 347				•											
Bistro Oven Rinse 381				•				•	•						
Bedpan washer				•		•									
Surgical instrument cleaner				•		•									

PERSONAL HYGIENE

PRODUCTSPECIFICATION	Colour / Pearlescent	Perfume	Glycerine	Ethanol	Ecolabelled
MIKO Pearl Cream Soap *	•	•	•		•
MIKO Soft Cream Soap *			•		•
MIKO Soft Foam *			•		
MIKO Pearl Foam *	•	•	•		
MIKO Soft Hair & Body shampoo					
MIKO Pearl Hair & Body shampoo	•	•			
MIKO Pearl Hair & Body Foam	•	•			
MIKO All-Over Shampoo		•			
MIKO Soft Hand Lotion			•		
MIKO Soft Hand Cream			•		
MIKO Pearl Hand Cream	•	•	•		
Combi Des i 70% & 85%			•	•	
Combi Des Gel 85%			•	•	

ACCESSORIES





ACCESSORIES

Product	Unit	Ecolabel	Packaging	Per colli	Pallet size.	Item no.				
FILTERSALT is used for regeneration of lime	filters in dis	hwashers to s	ecure optimal effe	ct. 100% pure soo	diumchloride.					
Filtersalt Fint Filtersalt Groft	2 Kg 2 Kg		Pouch Pouch			41195 41196				
	SALTTABLETTER are advantageously used in smaller, automatic water softeners with integrated salt containers, as these plants are particularly sensitive to impurities. Can be used in all automatic water softeners.									
Salttabletter Salttabletter	10 Kg 25 Kg		Bags Bags	1 1		41390 41365				
PRODUKTIONSSALT is used in swimming po	PRODUKTIONSSALT is used in swimming pools and textile dyeing companies as well as in the food industry.									
Produktionssalt	25 Kg		Bags	1		31384				

^{*} Very suited for

^{*} Contains none of the 26 known allergenic ingredients.

ACCESSORIES







ACCESSORIES

Product	Unit	Packaging	Per colli	Pallet size	Items no
Combined cleaning and care prod for stone and tiled floors and clea					
Krystalsæbe	5 kg.	Sacket		80	41116
EMULSIFIER PLUS is a polish rem polished regularly. Rinse with clea					
Emulsifier Plus	5 L	Canister	3		42937
SD 20 is a special agent for scouri loors and due to low foaming be		new layer. Can also be u	ised as polish rem	over for color se	ensitive
SD 20	5 L	Canister			42932
DURA PRIME is used as basic poli: desired. Ready for use. Coverage				eum, if brightnes	ss is not
Dura Prime	5 L	Canister			42933
DURA GLOSS is an economic polis	h, which provides a crystal cl	ear gloss directly from th	e mop. Ready for	use. Coverage: 4	10-50 m2.
Dura Gloss	5 L	Canister	3		42934
UPPER LIMITS is a premium polisl regularly. Ready for use. Coverage		Urethane, reinforced po	lymers. Ultra High	Speed - to be p	olished
Jpper Limits	5 L	Canister			42935
SUN SWEPT is a maintenance cle minimum. To be applied once a w		ashers. Fills in minor scra	atches and keeps	maintenance bu	dget to a
Sun Swept	5 L	Canister	3		42936
Canister stand for 10 L					
Canister stand	1 pcs	Pcs.	1		20437
Canister stand for 20 L					
Canister stand	1 pcs	Pcs.	1		20438

ACCESSORIES

Product	Unit		Packaging	Per colli	Pallet size	Items no			
Powder & rinse dosing system mounted on a metal plate that is ready for mounting on the wall next to the dishwasher.									
Dema Doseringsanlæg	1 pcs		Pcs.			44943			
Liquid dishwashing & rinse aid dosing system	Liquid dishwashing & rinse aid dosing system.								
Dema Doseringsanlæg	1 pcs		Pcs.			26095			
Dosing equipment without separate shutoff.	Dosing equipment without separate shutoff. Intended for connection to drain fixture.								
Hydromix 16 L u/afbryder	1 pcs		Pcs.	1		20342			
Connection kit									
Connection kit	1pcs		Pcs.	1		20427			
Basket Micro for walls									
Basket Micro for walls	1 pcs		Pcs.	1		20454			
Canister stand for 5 and 10 L cans	Canister stand for 5 and 10 L cans								
Canister stand	1 pcs		Pcs.	1		20417			
Dosing pipette t/1 liter									
Dosing pipette	1 pcs		Pcs.	1		41392			
Dosing pump for bottles: 1/0,75 L	Dosing pump for bottles: 1/0,75 L								
Dosing pump	1 pcs		Pcs.	1		41374			
Dosing pump for 5 L (10 MI)	Dosing pump for 5 L (10 MI)								
Dosing pump	1 pcs		Pcs.	1		41375			
Dosing pump for 5 L (25 ml 40 Mm)									
Dosing pump	1 pcs		Pcs.	1		41370			
Dosing pump for can: 20 L									
Dosing pump	1 pcs		Pcs.	1		41385			

ACCESSORIES





Product	Unit	Packaging	Per colli	Pallet size Items no			
Sprayer for 500 ml. bottles. Capsule size 2	8 mm						
Sprayer white	1 pcs	Pcs.	1	49118			
Jet spray white for 1L bottle							
Jet spray	1 pcs	Pcs.	1	49126			
Kwazar disinfection spray can be used for the laying of acid and chlorine.							
Disinfection spray 6L	1 pcs	Pcs.	1	26119			
URINALFRISK is used for toilets. Slowly soluble in water. Have a scent of lemon.							
Urinalfrisk i net lemon	1 pcs	Pcs.	24	22634			
BIO URINALTABLET is used as odour rem The tablet works on very small volumes of				rce of odour problems.			
Bio Urinaltablet 750 gr.	1 pcs	Pcs.	12	41090			
Dispenser for toilet seat spray refills (Toilet seat cleaner)							
Dispenser t/toiletsæde desinf.	1 pcs	Pcs.	1	42965			
Toilet seat cleaning refill for dispenser							
Refill for toilet seat dispenser	1 pcs	Pcs.	12	42966			
Micro dispenser is small and discreet and be customized. Uses one piece of odour re							
Select Dispenser Micro	1 pcs	Pcs.	1	49782			
Clean Sence is used as aerosol refill in the	micro dispenser.						
Micro Refill Clean Scent	500 ml	Pouch	12	41917			
FRAGRANCE BLOCKS is used for neutralization of the air.							
Fragrance Blocks Lemon Fragrance Blocks Potpourri	1 pcs 1 pcs	Pcs.	12 12	49078 49077			



FOAM CLEANING EQUIPMENT

Product	Unit	Packaging	Per colli	Pallet size Items no			
NITO FOAM GUN, incl. nozzles. For cl applied without aerosols at normal wa			eas. With the foan	n sprayer, the foam is			
Nito Foam gun 1,4 L Nito Foam gun 2,5 L	1 pcs 1 pcs	Pcs. Pcs.		44001 22621			
For cleaning with cold water, max 40°C							
Tube for Foam gun 15 M Clutch kit for Foam gun	1 pcs 1 pcs	Pcs. Pcs.	1 1	44000 43999			
Combi gun for foam cleaning. Can be mounted with a nozzle. Functional design with flexible regulation of the water flow							
Pistol grib for Foam gun	1 pcs	Pcs.		44004			
NITO Strålerør with small nozzle to rin	NITO Strålerør with small nozzle to rinse after foam cleaning. Provides powerful jet. Suitable for item no. 44004, 22621 and 43995						
Nito Strålerør 17 Cm Nito Strålerør 45 Cm Nito Strålerør 65 Cm	1 pcs 1 pcs 1 pcs	Pcs. Pcs. Pcs.		44002 22622 44005			
NITO ERGO Foam gun for cleaning of sanitary areas and small processing areas. With a foam gun, the foam is laid without aerosols at normal water pressure. The ergonomic design ensures a good working position. Always correct dosage.							
Nito Ergo Foam gun 1,4 L Nito Ergo Foam gun 2,5 L	1 pcs 1 pcs	Pcs. Pcs.	1 1	43997 43998			
NITO ERGO COMBI industrial gun is an protection of the handle.	ergonomically designed	hot water gun for use	in connection with	foam cleaning. Thermal			
Nito Ergo Combi Industri gun	1 pcs	Pcs.		43995			
Suction hose with filter.							
Suction hose for Foam gun	1 pcs	Pcs.	1	44077			
For foam cleaning. Water and chemicals are always mixed in the correct dosage and foamed onto the surfaces. Suitable for both large and small containers.							
Lid with nozzle	1 pcs	Pcs.	1	44076			

ABOUT NOVADAN

Novadan is one of the largest players of cleaning agents in Scandinavia and expanding and growing in international markets. We develop and produce detergents, disinfectants and personal hygiene products. We provide B-t-B cleaning solutions to a wide range of industries.

- Novadan is an international company with production sites/sales offices in Denmark, Poland and Sweden.
- Our sales staff cover most of Europe, the Middle East, CIS, Australia and New Zealand
- Novadan is part of the US-owned group: ITW (Illinois Tool Work Inc.).
- Novadan exports to 35 different countries

OUR PHILOSOPHY

- At Novadan we place great emphasis on sustainability and HSE (Health, Safety and Environment).
- We work with the highest standards in the production environment and HSE.
- Eco-labeled products make up a large part of our product range.
- Our solutions save energy, water and labor costs
- The production at Novadan is certified according to ISO 9001 (product quality) and ISO 14001 (environmental monitoring)







